

## Dutch Resin Component, B EP 5350 Epoxy gel

## Safety Data Sheet

pursuant to Regulation (EC) No 453/2010

Publication date: 03/08/2021

Revision date: // Version: 1.0

| SECTION 1: Identification of the substance or mixture and of the company/undertaking |   |   |   |
|--|---|---|---|
| 1.1  | Product identification<br>Product form: Mixture<br>Product code: Dutch Resin Component, B EP 5350 Epoxy gel   |   |   |
| 1,2  | Relevant identified use<br>Main usage category<br>Industrial/Professional use spec.<br>Use of the substance or mixture; Forms of use that are advised against   | Industrial use<br>For professional use only<br>Flooring<br>No additional information available  |   |
| 1.3  | Dutch Resin Group<br>P.O. Box 1074<br>7301 BH Apeldoorn<br>T +31 55 312 44 65<br><a href="mailto:info@dutchresin.nl">info@dutchresin.nl</a>   | Visiting address<br>Gladsaxe 19<br>Apeldoorn  |   |
| 1.4  | Emergency number: T +31 55 312 44 65<br>This number is only available during office hours.  |   |   |
|  | Land  | Official advisory body  | Address                                 |
|  | NETHERLANDS   | National Poisons Information Center.<br><br>University Medical Center Utrecht,<br>The National Poisons Information Center (NVIC) informs doctors, veterinarians, pharmacists, and other healthcare professionals about the possible health effects and treatment options for poisonings.<br>The NVIC is available for this purpose day and night, both by telephone and via the internet. | P.O. Box<br>85500<br>3508 GA<br>Utrecht |
|  |   |   | +31 30 274 88 88                        |
| SECTION 2: Identification of hazards   |   |   |   |
| 2.1  | Classification of the substance or mixture<br>Criteria Regulation CE 1272/2008 (CLP):<br>Warning, Acute Tox. 4, Harmful if swallowed.<br>Warning, Acute Tox. 4, Harmful if inhaled. Danger, Skin Corr. 1B, Causes severe burns and eye damage.<br>Danger, Eye Dam. 1, Causes serious eye damage.<br>Warning, Skin Sens. 1, May cause an allergic skin reaction.<br>Aquatic Chronic 3, Harmful to aquatic organisms, with long-lasting effects.<br><br>Physicochemical effects harmful to human health and the environment<br><br>GHS05                      GHS07 |   |   |


# Dutch Resin Component, B EP 5350 Epoxy gel

## Safety Data Sheet

pursuant to Regulation (EC) No 453/2010

Publication date: 03/08/2021

Revision date: // Version: 1.0

|  |  |
|--|--|
| 2.2  | Labeling elements  |
|  | <p>Symbols:</p>  <p>Danger</p> <p>Hazard statements:</p> <p>H302+H332 Harmful if swallowed and if inhaled.<br/> H314 Causes severe burns and eye damage.<br/> H317 May cause an allergic skin reaction.<br/> H412 Harmful to aquatic organisms, with long-lasting effects.</p> <p>Safety recommendations:</p> <p>P260 Do not breathe dust/fumes/gas/mist/vapour/spray<br/> P261 Avoid inhalation of dust/fumes/gas/mist/vapors/spray.<br/> P264 After working with this product ... wash thoroughly<br/> P270 Do not eat, drink or smoke while using this product.<br/> P271 Use only outdoors or in a well-ventilated area.<br/> P272 Contaminated work clothing must not leave the work area.<br/> P273 Avoid release into the environment.<br/> P280 Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>P301+P312 IF SWALLOWED: if you feel unwell, consult a POISON CENTER/doctor/...<br/> P301+P330+P331 IF SWALLOWED: rinse mouth — DO NOT induce vomiting.<br/> P302+P352 IF ON SKIN: Wash with plenty of water/... P303+P361+P353 IF ON SKIN (or hair): Remove contaminated clothing immediately. Rinse/shower skin with water.</p> <p>P304+P340 AFTER INHALATION: move the person to fresh air and ensure they can breathe easily.</p> <p>P305+P351+P338 IF IN CONTACT WITH EYES: rinse carefully with water for several minutes; remove contact lenses, if possible; continue rinsing.<br/> P310 Immediately consult a POISON CENTER/doctor/...<br/> P321 Specific treatment required (see ... on this label).<br/> P333+P313 If skin irritation or rash occurs: consult a doctor.<br/> P362+P364 Remove and wash contaminated clothing before reuse.</p> <p>P363 Wash contaminated clothing before reuse.<br/> P405 Keep locked away.</p> <p>P501 Dispose of the product/container in accordance with the regulations. Special arrangements: None<br/> Contains benzyl alcohol 3-aminomethyl-3,5,5-trimethylcyclohexylamine m-phenylene bis(methylamine) bisphenol A Special provisions<br/> in accordance with Annex XVII of REACH and subsequent amendments: None</p> |
| 2.3  | Other dangers  |
|  | <p>vPvB substances: None –<br/> PBT substances: None<br/> Other risks: No other risk</p>   |
| <b>SECTION 3: Composition and information on ingredients</b> |  |
| 3.1  | Dust   |
|  | Not applicable   |
| 3.2  | Mixture of hazardous and non-hazardous substances  |

# Dutch Resin Component, B EP 5350 Epoxy gel

## Safety Data Sheet

pursuant to Regulation (EC) No 453/2010

Publication date: 03/08/2021

Revision date: // Version: 1.0

|  | name   | Product identification   | %         | Classification in accordance with Regulation (EC) No 1272/2008 [CLP]   |
|--|--|--|-----------|--|
|  | benzyl alcohol   | Index number:<br>603-057-00-5<br>CAS: 100-51-6<br>EC: 202-859-9                                      | 10-20 3.1 | 1/4/Oral Acute Tox.4 H302<br>3.1/4/Inhal Acute Tox.4 H332<br>.1/4/Oral Acute Tox. 4 H302 3.4.2/1<br>Skin Sens. 1 H317 4.1/C3 Aquatic<br>Chronic 3 H412   |
|  | 3-aminomethyl-3,5,5-trimethylcyclohexylamine   | Index number:<br>612-067-00-9<br>CAS: 2855-13-2<br>EC: 220-666-8 REACH<br>No.:<br>01- 2119514687 -32 | 60-80 3.2 | 1/1B Skin Corr. 1B H314<br>3.1/4/Dermal Acute Tox. 4 H312<br>3.1/4/Oral Acute Tox. 4 H302<br>3.4.2/1 Skin Sens. 1 H317 4.1/<br>C3 Aquatic Chronic 3 H412 |
|  | 2,4,6-tris(dimethylamino methyl)phenol   | CAS: 90-72-2<br>EINECS: 202-013-9  | 10-20 3.2 | 1/1B Skin Corr. 1B H314<br>3.1/4/Dermal Acute Tox. 4 H312<br>3.1/4/Oral Acute Tox. 4 H302<br>3.4.2/1 Skin Sens. 1 H317 4.1/<br>C3 Aquatic Chronic 3 H412 |
|  | Harmless substances  |  |           |  |
| Full content of the R, H and EUH phrases: see section 16 |  |  |           |  |
| <b>SECTION 4: First aid measures</b>                     |  |  |           |  |
| 4.1  | Description of the first aid measures  |  |           |  |
|  | <p>General First Aid: Never administer anything by mouth to an unconscious person. If you feel unwell, consult a doctor (show them this label if possible).</p> <p>In case of contact with skin: Remove contaminated clothing immediately. CONSULT A DOCTOR IMMEDIATELY.</p> <p>Immediately remove the contaminated clothing items and dispose of them safely.</p> <p>In case of contact with the skin, wash immediately with plenty of water and soap. In case of contact with the eyes: In case of contact with the eyes, rinse thoroughly with water for a sufficient time, keeping the eyelids apart, and then consult an ophthalmologist immediately.</p> <p>Protect the uninjured eye. In case of ingestion: DO NOT induce vomiting. Do not give anything to eat or drink.</p> <p>In case of inhalation: In case of irregular or absent breathing, apply artificial respiration.</p> <p>In case of inhalation, consult a doctor immediately and show the packaging or label.</p> |  |           |  |
| 4.2  | Main acute and delayed symptoms and effects  |  |           |  |
|  | No   |  |           |  |
| 4.3  | Indication of the required immediate medical care and special treatment  |  |           |  |
|  | In case of accident or feeling unwell, consult a doctor immediately (if possible, show the instructions for use or the safety data). Treatment: none   |  |           |  |
| <b>SECTION 5: Firefighting measures</b>                  |  |  |           |  |
| 5.1  | Extinguishing equipment  |  |           |  |
|  | Suitable extinguishing agents: Foam. AFFF. Water mist.<br>Unsuitable extinguishing agents:   |  |           |  |
| 5.2  | none Special hazards caused by the substance or mixture Do not inhale the  |  |           |  |
|  | gases produced by the explosion or combustion. Combustion produces heavy smoke   |  |           |  |

# Dutch Resin Component, B EP 5350 Epoxy gel

## Safety Data Sheet

pursuant to Regulation (EC) No 453/2010

Publication date: 03/08/2021

Revision date: // Version: 1.0

|   |  |
|---|--|
| 5.3   | Advice for firefighters  |
|   | <p>Fire precautions: No open flames, no sparks, and no smoking.</p> <p>Firefighting instructions: Do not enter the fire zone without suitable safety equipment, including respiratory protection.</p> <p>Protection during firefighting: Cool the exposed vessels with a water spray or mist.</p> <p>Additional information: Exercise extreme caution when fighting a chemical fire. Collect the contaminated extinguishing water used for the fire separately. Do not discharge into the sewer. Move the undamaged containers out of the danger zone, if this can be done safely.</p> |
| <b>SECTION 6: Measures in the event of accidental release of the substance or mixture</b> |  |
| 6.1   | Personal precautions, protective equipment and emergency procedures Wear personal  |
|   | protective equipment. Wear respiratory equipment when exposed to vapors/dust/aerosols. Ensure good ventilation. Use suitable respiratory protective equipment. Consult the protective measures as set out in points 7 and 8.   |
| 6.11  | For persons other than emergency services  |
|   | Protective equipment: Equip cleaning staff with appropriate protection.<br>Emergency procedures: Keep spectators at a distance.  |
| 6.12  | For the emergency services   |
|   | additional information available   |
| 6.2   | Environmental precautions  |
|   | Prevent penetration into the soil/subsoil. Prevent runoff into surface water or the sewer. Store the contaminated rinse water and dispose of it. In the event of a gas leak or infiltration into watercourses, soil, or sewers, notify the responsible authorities. Suitable material for collection: absorbent material, organic matter, sand.  |
| 6.3   | Methods and material for containment and cleaning up   |
| 6.3   | For containment:<br>Use suitable waste containers.<br>Cleaning methods:<br>Clean up spilled product as soon as possible using an absorbent product.<br>Rinse with plenty of water  |
| 6.4   | Reference to other sections  |
|   | Regarding waste disposal after cleaning, see section 13. See section 8 regarding the use of personal protective equipment.   |
| <b>SECTION 7: Handling and storage</b>  |  |
| 7.1   | Precautions for safe handling of the substance or mixture Avoid contact with skin and  |
|   | eyes, inhalation of vapors and mist. Use the local ventilation system. Do not use empty containers before they have been cleaned.<br>Before proceeding with the move, check that there are no residues of incompatible material present in the containers. Remove contaminated clothing and protective equipment before entering areas where eating takes place. Do not eat or drink during work. Reference is also made to paragraph 8 for the recommended protective equipment.  |
| 7.2   | Conditions for safe storage, including incompatible products   |

# Dutch Resin Component, B EP 5350 Epoxy gel

## Safety Data Sheet

pursuant to Regulation (EC) No 453/2010

Publication date: 03/08/2021

Revision date: // Version: 1.0

|   |  |   |
|---|--|---|
|   |  | <p>Keep away from food, drink, and feed.<br/>         Incompatible substances: None in particular.<br/>         See also paragraph 10 below. Instructions for the rooms. Well-ventilated rooms.</p>   |
| 7.3   | Specific end-use   |   |
|   | B Component coating                                      |   |
| <b>SECTION 8: Exposure control measures/personal protection</b> |  |   |
| 8.1   | Control parameters                                       |   |
|   |  | <p>Components with limit values that must be observed with regard to the workplace: The product does not contain relevant quantities of substances that must be monitored in terms of limit values with regard to workplaces.</p>   |
| 8.2   | Measures to control exposure                             |   |
|   |  | <p>Individual protective measures, such as personal protective equipment · General protective and health measures: Remove contaminated clothing immediately. Avoid contact with eyes and skin. Wear suitable protective clothing, gloves, and eye/face protection. Keep away from food and drink. Wash hands before breaks and at the end of working hours.</p> <p>to wash. ·</p> <p>Respiratory protection Not necessary. During processing for<br/>         Ensure adequate ventilation. ·</p> <p>Hand protection<br/>         Use gloves made of stable material (e.g. nitrile) – if necessary with a knitted backer to improve wearing comfort (EN 374). Remove gloves immediately in case of heavy soiling; in case of light soiling, remove them for maximum service life, at the latest at the end of the shift. To clean the skin, use only water and mild soaps or pH-neutral skin cleansing preparations.<br/>         Do not use solvents. · Glove material<br/>         Butyl rubber Nitrile rubber Recommended material thickness: <math>\dot{y}</math> 0.5 mm · Penetration time of the glove material You can find out the precise penetration time from the glove manufacturer; take this into account. At least 480 minutes. · Eye/face protection Close-fitting safety glasses eye face protection (EN 166)</p> <p>Personal protection: Work clothing (long trousers, long sleeves).<br/>         Avoid exposed skin, even in warm weather. Wear a protective apron during mixing. If the mixing drum is clamped between the legs during mixing, wear liquid-tight protective trousers.</p> <p>Avoid contact with eyes, skin, and clothing. Immediately change soiled or damaged gloves and soiled clothing, and wash skin immediately.</p> |
| <b>SECTION 9: Physical and chemical properties</b>              |  |   |
| 9.1   | Information about basic physical and chemical properties |   |
|   |  | <p>Physical state: Liquid Color:<br/>         transparent / yellowish<br/>         Odour: characteristic. ammonia<br/>         Odor threshold : No data available pH : No<br/>         data available Relative evaporation<br/>         rate (butyl acetate=1) : No data available Melting point : No data available Freezing<br/>         point : No data available Boiling point : No<br/>         data available Flash point : No data available<br/>         Autoignition temperature : No data available<br/>         Decomposition temperature : No data<br/>         available Flammability (solid, gas) : Non-flammable</p>   |

# Dutch Resin Component, B EP 5350 Epoxy gel

## Safety Data Sheet

pursuant to Regulation (EC) No 453/2010

Publication date: 03/08/2021

Revision date: // Version: 1.0

|  |      |   |
|--|------|---|
|  |      | <p>Vapor pressure : No data available<br/> Relative vapor density at 20 °C : No data available<br/> Relative density: 1.09 g/cm<sup>3</sup><br/> Solubility : No data available<br/> Log Pow : No data available<br/> Viscosity, kinematic : No data available<br/> Viscosity, dynamic : No data available<br/> Explosion properties : No data available<br/> Oxidizing properties : No data available<br/> Explosion limits : No data available</p>  |
|  | 9.2  | Other information   |
|  |      | No additional information available   |
| <b>SECTION 10: Stability and reactivity</b>  |      |   |
|  | 10.1 | Reactivity  |
|  |      | No additional information available   |
|  | 10.2 | Chemical stability  |
|  |      | Not determined.   |
|  | 10.3 | Possible dangerous reactions  |
|  |      | In contact with base metals (alkali metals and alkaline earths) and strongly reducing substances, it can produce flammable gases. In contact with oxidizing mineral acids, organic halogens, organic peroxides, and hydroperoxides, and strongly oxidizing substances, it can produce toxic gases. In contact with strongly oxidizing substances, it can ignite.  |
|  | 10.4 | Conditions to be avoided  |
|  |      | Extremely high or low temperatures. Protect from direct sunlight.   |
|  | 10.5 | Chemically interacting materials  |
|  |      | strong acids. Strong alkalis  |
|  | 10.6 | Dangerous decomposition products smoke.   |
|  |      | Carbon monoxide. Carbon dioxide.  |
| <b>SECTION 11: Toxicological information</b> |      |   |
|  | 11.1 | Information about toxicological effects   |
|  |      | <p>Toxicological information of the product: NA<br/> Toxicological information on the main substances in the product benzyl alcohol - CAS: 100-51-6 a) Acute toxicity: Test: LD50<br/> - Route of exposure: Oral - Species: Rat = 1620 mg/kg Test: LC50 -<br/> Route of exposure: Inhalation - Species: Rat &gt; 4178 mg/m<sup>3</sup> - Duration: 4 h b) Skin corrosion/irritation: Test: Irritating to the skin Negative c) Serious eye damage/eye irritation: Test: Irritating to the eyes Positive e) Germ cell mutagenicity:<br/> Test: mutagenesis Positive - Source: OECD 476<br/> in vitro Test: mutagenesis Negative - Source: OECD 474<br/> g) reproductive toxicity;: Test:<br/> Reproductive toxicity - Mode of exposure: Oral - Species: Mouse Positive 750 mg/kg - Remarks: 192h Test: Reproductive toxicity - Mode of exposure: Oral -<br/> Strains: Mouse Negative 550 mg/kg - Remarks: 240h</p> <p>Unless otherwise specified, the information required in the Regulation must</p> |

# Dutch Resin Component, B EP 5350 Epoxy gel

## Safety Data Sheet

pursuant to Regulation (EC) No 453/2010

Publication date: 03/08/2021

Revision date: // Version: 1.0

|  |      |   |
|--|------|---|
|  |      | (EU)2015/830 shall be considered as not applicable:<br><br>a) acute toxicity;<br>b) skin corrosion/irritation;<br>c) serious eye damage/eye irritation; d) respiratory/skin sensitization; e) germ cell mutagenicity; f) carcinogenicity; g) reproductive toxicity; h) STOT upon single exposure; i) STOT upon repeated exposure; j) inhalation hazard. |
| <b>SECTION 12: Ecological information</b>          |      |   |
|  | 12.1 | toxicity  |
|  |      | Aquatic toxicity: No further relevant information available.  |
|  | 12.2 | Persistence and degradability   |
|  |      | No further relevant information available.  |
|  | 12.3 | Bioaccumulation:  |
|  |      | No further relevant information available.  |
|  | 12.4 | Mobility in the soil  |
|  |      | No further relevant information available   |
|  | 12.5 | Results of PBT and zPzB assessment  |
|  |      | No additional information available   |
|  | 12.6 | Other harmful effects   |
|  |      | Avoid discharge into the vicinity.  |
|  | 12.7 | Other harmful effects   |
|  |      | Note: Harmful to fish. - Further ecological information: - General information: Harmful to aquatic organisms Do not discharge into groundwater, surface water or sewers. Water hazard (NL): A(3) harmful to aquatic organisms may cause long-term harmful effects in the aquatic environment  |
| <b>SECTION 13 Disposal instructions</b>            |      |   |
|  | 13.1 | Waste processing methods  |
|  |      | Recommendations for waste disposal: Dispose of safely in accordance with local/national regulations.<br><br>Prevent discharge into the environment  |
| <b>SECTION 14: Information regarding transport</b> |      |   |
|  |      | Land transport (ADR / RID / GGVSEB)   |
|  | 14.1 | UN number   |
|  |      | ADR-UN Number: 1760<br>IATA-UN Number: 1760<br>IMDG-UN Number: 1760   |
|  | 14.2 | Proper shipping name in accordance with the UN Model Regulations:   |
|  |      | ADR-Shipping Name: CORROSIVE LIQUID, NAO(3-aminomethyl-3,5,5-trimethylcyclohexylamine)  |

# Dutch Resin Component, B EP 5350 Epoxy gel

## Safety Data Sheet

pursuant to Regulation (EC) No 453/2010

Publication date: 03/08/2021

Revision date: // Version: 1.0

|                                      |      |   |
|--------------------------------------|------|---|
|                                      |      | IATA-Shipping Name: CORROSIVE LIQUID, NAO(3-aminomethyl-3,5,5-trimethylcyclohexylamine)   |
|                                      |      | IMDG-Shipping Name: CORROSIVE LIQUID, NAO(3-aminomethyl-3,5,5-trimethylcyclohexylamine)   |
|                                      | 14.3 | Transport hazard class(es):   |
|                                      |      | ADR Class: 8<br>ADR - Hazard identification number: 80<br>IATA Class: 8<br>IATA Label: 8<br>IMDG-Class: 8<br>IMDG Class: 8  |
|                                      | 14.4 | Packaging group:  |
|                                      |      | ADR Packing Group: II<br>IATA Packing group: II<br>IMDG-Packing group: II   |
|                                      | 14.5 | Environmental hazards:  |
|                                      |      | ADR Environmental Pollutant: No<br>IMDG-Marine pollutant: No  |
|                                      | 14.6 | Special precautions for the user:   |
|                                      |      | ADR-Subsidiary risks: - ADR-SP: 274 ADR-Transport Category (Code for restrictions in tunnels): (E) IATA-Passenger Aircraft: 851 IATA-Subsidiary risks: - IATA-Cargo Aircraft: 855 IATA-SP: A3 A803 IATA-ERG: 8L IMDG-EmS: FA Storage and handling: Category B IMDG Segregation: Clear of , SB IMDG-Subsidiary risks: - IMDG-living quarter  |
|                                      | 14.7 | Transport in bulk in accordance with Annex II to MARPOL 73/78 and the IBC Code  |
|                                      |      | Not applicable  |
| <b>SECTION 15: Regulations</b>       |      |   |
|                                      | 15.1 | Specific safety, health and environmental regulations and legislation for the substance or mixture Directive  |
|                                      |      | 98/24/EC (Hazards associated with chemicals at work) Directive 2000/39/EC (Occupational exposure limits) Regulation (EC) No 1907/2006 (REACH) Regulation (EC) No 1272/2008 (CLP) Regulation (EC) No 790/2009 (ATP 1 CLP) and (EU) No. 758/2013 Regulation (EU) 2015/830 Regulation (EU) No 286/2011 (ATP 2 CLP) Regulation (EU) No 618/2012 (ATP 3 CLP) Regulation (EU) No 487/2013 (ATP 4 CLP) Regulation (EU) No 944/2013 (ATP 5 CLP) Regulation (EU) No 605/2014 (ATP 6 CLP) Restrictions regarding the product or the substances contained therein in accordance with Annex XVII of Regulation (EU) 1907/2006 (REACH) and subsequent amendments: Restrictions regarding the product: Restriction 3 Restrictions regarding the substances it contains: No restrictions. Where applicable, refer to the following provisions: Directive 2012/18/EY (Seveso III) Regulation (EC) No 648/2004 (detergents). Richtl. 2004/42/EC (VOC Directive) Provisions relating to EU Directive 2012/18 (Seveso III): Seveso III category in accordance with Annex 1, Part 1 NA. |
|                                      | 15.2 | Chemical safety assessment  |
|                                      |      | No chemical safety assessment has been performed  |
| <b>SECTION 16: Other information</b> |      |   |
|                                      |      | Indication of changes: Revision: *.   |
|                                      |      | Data sources:   |

# Dutch Resin Component, B EP 5350 Epoxy gel

## Safety Data Sheet

pursuant to Regulation (EC) No 453/2010

Publication date: 03/08/2021

Revision date: // Version: 1.0

|  |  |
|--|--|
|  | <p>REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on the classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006.</p>  |
|  | <p>Full text of abbreviated H-phrases</p> <p>Relevant H-phrases from Chapter 3</p> <p>Aquatic Chronic 2 Chronic hazard to the aquatic environment, Category 2 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitization, Categories 1</p> <p>H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation</p> <p>H411 Toxic to aquatic organisms, with long-lasting effects Other information: # REACH Declaration: All information is based on current knowledge.</p>   |
|  | <p>Consistency of the data</p> <p>in this Safety Data Sheet with the data stated in the Chemical Safety Report has been considered insofar as these were available at the time of compilation (see Version number and Revision date).</p> <p>DISCLAIMER OF LIABILITY The information in this sheet was obtained from sources that are, to the best of our knowledge, reliable. However, the information was provided without any guarantee—directly implied—regarding its accuracy. The conditions or methods of handling, storage, use, or finishing of the product are beyond our control and influence and may also be beyond our knowledge. For these and other reasons, we accept no liability whatsoever, while liability for losses, damage, or expenses that may arise in any way from the handling, storage, use, or finishing and disposal of the product is expressly disclaimed.</p> <p>Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)</p> <p>ICAO: International Civil Aviation Organization ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</p> <p>IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labeling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)</p> <p>LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute Toxicity – Category 4 Skin Corr.</p> <p>1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitization – Category 1 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity after single exposure – Category 3 Aquatic Chronic 2:</p> |

## Dutch Resin Component, B EP 5350 Epoxy gel

### Safety Data Sheet

pursuant to Regulation (EC) No 453/2010

Publication date: 03/08/2021

Revision date: // Version: 1.0

|  |  |
|--|--|
|  | Hazard to the aquatic environment - long-term aquatic hazard – Category 2<br>Aquatic Chronic 3:<br>Hazard to the aquatic environment – long-term aquatic hazard – Category 3 |
|--|--|